



**2024 National Patient Safety Goals
Official “Do Not Use” List
ISMP’s List of Confused Drug Names**

The purpose of the National Patient Safety Goals is to improve patient safety. The goals focus on problems in healthcare safety and how to solve them. The Joint Commission’s 2024 National Patient Safety Goals set forth clear guidelines for how healthcare organizations can improve the quality of care.

The following pages include:

- Summary of Joint Commission 2024 National Patient Safety Goals (Hospital)***
- Joint Commission’s Official “Do Not Use” List
- Institute for Safe Medication Practices (ISMP’s) List of Confused Drug Names

***The exact language of the goals can be found on the Joint Commission Website under 2024 National Patient Safety Goals.

2024 Hospital National Patient Safety Goals

(Easy-To-Read)

Identify patients correctly

NPSG.01.01.01

Use at least two ways to identify patients. For example, use the patient's name *and* date of birth. This is done to make sure that each patient gets the correct medicine and treatment.

Improve staff communication

NPSG.02.03.01

Get important test results to the right staff person on time.

Use medicines safely

NPSG.03.04.01

Before a procedure, label medicines that are not labeled. For example, medicines in syringes, cups and basins. Do this in the area where medicines and supplies are set up.

NPSG.03.05.01

Take extra care with patients who take medicines to thin their blood.

NPSG.03.06.01

Record and pass along correct information about a patient's medicines. Find out what medicines the patient is taking. Compare those medicines to new medicines given to the patient. Give the patient written information about the medicines they need to take. Tell the patient it is important to bring their up-to-date list of medicines every time they visit a doctor.

Use alarms safely

NPSG.06.01.01

Make improvements to ensure that alarms on medical equipment are heard and responded to on time.

Prevent infection

NPSG.07.01.01

Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization. Set goals for improving hand cleaning.

Identify patient safety risks

NPSG.15.01.01

Reduce the risk for suicide.

Improve health care equity

NPSG.16.01.01

Improving health care equity is a quality and patient safety priority. For example, health care disparities in the patient population are identified and a written plan describes ways to improve health care equity.

Prevent mistakes in surgery

UP01.01.01

Make sure that the correct surgery is done on the correct patient and at the correct place on the patient's body.

UP01.02.01

Mark the correct place on the patient's body where the surgery is to be done.

UP01.03.01

Pause before the surgery to make sure that a mistake is not being made.

Official “Do Not Use” List

- This list is part of the Information Management standards
- Does not apply to preprogrammed health information technology systems (i.e. electronic medical records or CPOE systems), but remains under consideration for the future

Organizations contemplating introduction or upgrade of such systems should strive to eliminate the use of dangerous abbreviations, acronyms, symbols and dose designations from the software.

Official “Do Not Use” List

| Do Not Use | Potential Problem | Use Instead |
|--|--|---|
| U, u (unit) | Mistaken for "0" (zero), the number "4" (four) or "cc" | Write "unit" |
| IU (International Unit) | Mistaken for IV (intravenous) or the number 10 (ten) | Write "International Unit" |
| Q.D., QD, q.d., qd (daily) | Mistaken for each other | Write "daily" |
| Q.O.D., QOD, q.o.d., qod (every other day) | Period after the Q mistaken for "I" and the "O" mistaken for "I" | Write "every other day" |
| Trailing zero (X.0 mg)* | Decimal point is missed | Write X mg Write 0.X mg |
| Lack of leading zero (.X mg) | | |
| MS | Can mean morphine sulfate or magnesium sulfate | Write "morphine sulfate" Write "magnesium sulfate" |
| MSO ₄ and MgSO ₄ | Confused for one another | |

¹ Applies to all orders and all medication-related documentation that is handwritten (including free-text computer entry) or on pre-printed forms.

***Exception:** A “trailing zero” may be used only where required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report size of lesions, or catheter/tube sizes. It may not be used in medication orders or other medication-related documentation.

Development of the “Do Not Use” List

In 2001, The Joint Commission issued a *Sentinel Event Alert* on the subject of medical abbreviations. A year later, its Board of Commissioners approved a National Patient Safety Goal requiring accredited organizations to develop and implement a list of abbreviations not to use. In 2004, The Joint Commission created its “Do Not Use” List to meet that goal. In 2010, NPSG.02.02.01 was integrated into the Information Management standards as elements of performance 2 and 3 under IM.02.02.01.

The Joint Commission

FACT SHEET

For more information

- Contact the Standards Interpretation Group at 630-792-5900.
- Complete the [Standards Online Question Submission Form](#).

ISMP's List of *Confused Drug Names*

This list of confused drug names, which includes look-alike and sound-alike name pairs, consists of those name pairs that have been published in the *ISMP Medication Safety Alert!*[®] and the *ISMP Medication Safety Alert!*[®] Community/Ambulatory Care Edition. Events involving these medications were reported to ISMP through either the ISMP National Medication Errors Reporting Program (ISMP MERP) or ISMP National Vaccine Errors Reporting Program (ISMP VERP). We hope you will use this list to determine which medications

require special safeguards to reduce the risk of errors. This may include strategies such as: using both the brand and generic names on prescriptions and labels; including the purpose of the medication on prescriptions; configuring computer selection screens to prevent look-alike names from appearing consecutively; and changing the appearance of look-alike product names to draw attention to their dissimilarities. Both the FDA-approved and the ISMP-recommended tall man (mixed case) letters have been included in the list below.

Updated February 2015

| Drug Name | Confused Drug Name |
|---|---|
| Abelcet | amphotericin B |
| Accupril | Aciphex |
| acetaZOLAMIDE | acetoHEXAMIDE |
| acetic acid for irrigation | glacial acetic acid |
| acetoHEXAMIDE | acetaZOLAMIDE |
| Aciphex | Accupril |
| Aciphex | Aricept |
| Activase | Cathflo Activase |
| Activase | TNKase |
| Actonel | Actos |
| Actos | Actonel |
| Adacel (Tdap) | Daptacel (DTaP) |
| Adderall | Inderal |
| Adderall | Adderall XR |
| Adderall XR | Adderall |
| ado-trastuzumab emtansine | trastuzumab |
| Advair | Advicor |
| Advicor | Advair |
| Advicor | Altocor |
| Afrin (oxymetazoline) | Afrin (saline) |
| Afrin (saline) | Afrin (oxymetazoline) |
| Aggrastat | argatroban |
| Aldara | Alora |
| Alkeran | Leukeran |
| Alkeran | Myleran |
| Allegra (fexofenadine) | Allegra Anti-Itch Cream (diphenhydRAMINE/allantoin) |
| Allegra | Viagra |
| Allegra Anti-Itch Cream (diphenhydRAMINE/allantoin) | Allegra (fexofenadine) |
| Alora | Aldara |
| ALPRAZolam | LORazepam |
| Altocor | Advicor |
| amantadine | amiodarone |
| Amaryl | Reminyl |
| Ambisome | amphotericin B |
| Amicar | Omacor |

| Drug Name | Confused Drug Name |
|---|---|
| Amikin | Kineret |
| aMILoride | amLODIPine |
| amiodarone | amantadine |
| amLODIPine | aMILoride |
| amphotericin B | Abelcet |
| amphotericin B | Ambisome |
| Anacin | Anacin-3 |
| Anacin-3 | Anacin |
| antacid | Atacand |
| Anticoagulant Citrate Dextrose Solution Formula A | Anticoagulant Sodium Citrate Solution |
| Anticoagulant Sodium Citrate Solution | Anticoagulant Citrate Dextrose Solution Formula A |
| Antivert | Axert |
| Anzemet | Avandamet |
| Apidra | Spiriva |
| Apresoline | Priscoline |
| argatroban | Aggrastat |
| argatroban | Orgaran |
| Aricept | Aciphex |
| Aricept | Azilect |
| ARIPIPrazole | proton pump inhibitors |
| ARIPIPrazole | RABEPrazole |
| Arista AH (absorbable hemostatic agent) | Arixtra |
| Arixtra | Arista AH (absorbable hemostatic agent) |
| Asacol | Os-Cal |
| Atacand | antacid |
| atomoxetine | atorvastatin |
| atorvastatin | atomoxetine |
| Atrovent | Natru-Vent |
| Avandamet | Anzemet |
| Avandia | Prandin |
| Avandia | Coumadin |
| AVINza | INVanz |
| AVINza | Evista |
| Axert | Antivert |
| azaCITIDine | azaTHIOPrine |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name |
|-------------------------------------|-------------------------------------|
| azaTHIOPrine | azaCITIDine |
| Azilect | Aricept |
| B & O (belladonna and opium) | Beano |
| BabyBIG | HBIG (hepatitis B immune globulin) |
| Bayhep-B | Bayrab |
| Bayhep-B | Bayrho-D |
| Bayrab | Bayhep-B |
| Bayrab | Bayrho-D |
| Bayrho-D | Bayhep-B |
| Bayrho-D | Bayrab |
| Beano | B & O (belladonna and opium) |
| Benadryl | benazepril |
| benazepril | Benadryl |
| Benicar | Mevacor |
| Betadine (with providone-iodine) | Betadine (without providone-iodine) |
| Betadine (without providone-iodine) | Betadine (with providone-iodine) |
| Bextra | Zetia |
| Bicillin C-R | Bicillin L-A |
| Bicillin L-A | Bicillin C-R |
| Bicitra | Polycitra |
| Bidex | Videx |
| Brethine | Methergine |
| Bio-T-Gel | T-Gel |
| Brevibloc | Brevital |
| Brevital | Brevibloc |
| Brilinta | Brintellix |
| Brintellix | Brilinta |
| buPROPion | busPIRone |
| busPIRone | buPROPion |
| Capadex [non-US product] | Kapidex |
| Capex | Kapidex |
| Carac | Kuric |
| captopril | carvedilol |
| carBAMazepine | OXcarbazepine |
| CARBOplatin | CISplatin |
| Cardene | Cardizem |
| Cardizem | Cardene |
| Cardura | Coumadin |
| carvedilol | captopril |
| Casodex | Kapidex |
| Cathflo Activase | Activase |
| Cedax | Cidex |
| ceFAZolin | cefTRIAXone |
| cefTRIAXone | ceFAZolin |
| CeleBREX | CeleXA |
| CeleBREX | Cerebyx |

| Drug Name | Confused Drug Name |
|-------------------------------------|-----------------------------------|
| CeleXA | ZyPREXA |
| CeleXA | CeleBREX |
| CeleXA | Cerebyx |
| Cerebyx | CeleBREX |
| Cerebyx | CeleXA |
| cetirizine | sertraline |
| cetirizine | stavudine |
| chlordiazepoxide | chlorproMAZINE |
| chlordiazepoxide | chlordiazepoxide |
| chlordiazepoxide | chlorproPAMIDE |
| chlordiazepoxide | chlorproMAZINE |
| Cidex | Cedax |
| CISplatin | CARBOplatin |
| Claritin (loratadine) | Claritin Eye (ketotifen fumarate) |
| Claritin-D | Claritin-D 24 |
| Claritin-D 24 | Claritin-D |
| Claritin Eye (ketotifen fumarate) | Claritin (loratadine) |
| Clindesse | Clindets |
| Clindets | Clindesse |
| clobazam | clonazePAM |
| clomiphenecyclamate | clomipramine |
| clomipramine | clomiphenecyclamate |
| clonazepam | clobazam |
| clonazepam | cloNIDine |
| clonazepam | LORazepam |
| cloNIDine | clonazepam |
| cloNIDine | KlonopIN |
| Clozaril | Colazal |
| coagulation factor IX (recombinant) | factor IX complex, vapor heated |
| codeine | Lodine |
| Colace | Cozaar |
| Colazal | Clozaril |
| colchicine | Cortrosyn |
| Comvax | Recombivax HB |
| Cortrosyn | colchicine |
| Coumadin | Avandia |
| Coumadin | Cardura |
| Covaryx HS | Covera HS |
| Covera HS | Covaryx HS |
| Cozaar | Colace |
| Cozaar | Zocor |
| cyclophosphamide | cycloSPORINE |
| cycloSERINE | cycloSPORINE |
| cycloSPORINE | cyclophosphamide |
| cycloSPORINE | cycloSERINE |
| Cymbalta | Symbax |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name | Drug Name | Confused Drug Name |
|--|--|---------------------------------|-------------------------------------|
| DACTIN omycin | DAPTO mycin | Durasal | Durezol |
| Daptacel (DTaP) | Adacel (Tdap) | Durezol | Durasal |
| DAPTO mycin | DACTIN omycin | Duricef | Ultracet |
| Darvocet | Percocet | Dynacin | Dynacirc |
| Darvon | Diovan | Dynacirc | Dynacin |
| DAUNO rubicin | DAUNO rubicin citrate liposomal | edetate calcium disodium | edetate disodium |
| DAUNO rubicin | DOXO rubicin | edetate disodium | edetate calcium disodium |
| DAUNO rubicin | IDAr ubicin | Effexor | Effexor XR |
| DAUNO rubicin citrate liposomal | DAUNO rubicin | Effexor XR | Enablex |
| Denavir | indinavir | Effexor XR | Effexor |
| Depakote | Depakote ER | Enablex | Effexor XR |
| Depakote ER | Depakote | Enbrel | Levbid |
| Depo-Medrol | Solu- MEDROL | Engerix-B adult | Engerix-B pediatric/adolescent |
| Depo-Provera | Depo-subQ provera 104 | Engerix-B pediatric/adolescent | Engerix-B adult |
| Depo-subQ provera 104 | Depo-Provera | Enjuvia | Januvia |
| desipramine | disopyramide | e PHED rine | EPINEPHR ine |
| Desyrel | SERO quel | EPINEPHR ine | e PHED rine |
| dexamethylphenidate | methadone | epirubicin | eribulin |
| Diabenese | Diamox | eribulin | epirubicin |
| Diabeta | Zebeta | Estratest | Estratest HS |
| Diamox | Diabenese | Estratest HS | Estratest |
| Diflucan | Diprivan | ethambutol | Ethmozine |
| Dilacor XR | Pilocar | ethaverine [non-US name] | etravirine |
| Dilauidid | Dilauidid-5 | Ethmozine | ethambutol |
| Dilauidid-5 | Dilauidid | etravirine | ethaverine [non-US name] |
| dimenhyDRINATE | diphenhydrAMINE | Evista | AVINza |
| diphenhydrAMINE | dimenhyDRINATE | factor IX complex, vapor heated | coagulation factor IX (recombinant) |
| Dioval | Diovan | Fanapt | Xanax |
| Diovan | Dioval | Faxiga | Fetzima |
| Diovan | Zyban | Fastin (phentermine) | Fastin (dietary supplement) |
| Diovan | Darvon | Fastin (dietary supplement) | Fastin (phentermine) |
| Diprivan | Diflucan | Femara | Femhrt |
| Diprivan | Ditropan | Femhrt | Femara |
| disopyramide | desipramine | fentaNYL | SUF entanyl |
| Ditropan | Diprivan | Fetzima | Faxiga |
| DOBUT amine | DOP amine | Fioricet | Fiorinal |
| DOP amine | DOBUT amine | Fiorinal | Fioricet |
| Doribax | Zovirax | flavoxATE | fluvoxaMINE |
| Doxil | Paxil | Flonase | Flovent |
| DOXO rubicin | DAUNO rubicin | Floranex | Florinef |
| DOXO rubicin | DOXO rubicin liposomal | Florastor | Florinef |
| DOXO rubicin | IDAr ubicin | Florinef | Floranex |
| DOXO rubicin liposomal | DOXO rubicin | Florinef | Florastor |
| Dulcolax (bisacodyl) | Dulcolax (docusate sodium) | Flovent | Flonase |
| Dulcolax (docusate sodium) | Dulcolax (bisacodyl) | flumazenil | influenza virus vaccine |
| DUL oxetine | FLU oxetine | FLU oxetine | PAR oxetine |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name | Drug Name | Confused Drug Name |
|--|---------------------------------------|------------------------------------|--|
| FLUoxetine | DULoxetine | IDArubicin | DAUNOrubicin |
| FLUoxetine | Loxitane | IDArubicin | DOXOrubicin |
| fluvoxaMINE | flavoxATE | Inderal | Adderall |
| Focalgin B | Focalin | indinavir | Denavir |
| Focalin | Focalgin B | inFLIXimab | riTUXimab |
| Folex | Foltx | influenza virus vaccine | flumazenil |
| folic acid | folinic acid (leucovorin calcium) | influenza virus vaccine | perflutren lipid microspheres |
| folinic acid (leucovorin calcium) | folic acid | influenza virus vaccine | tuberculin purified protein derivative (PPD) |
| Foltx | Folex | Inspra | Spiriva |
| fomepizole | omeprazole | Intuniv | Invega |
| Foradil | Fortical | INVanz | AVINza |
| Foradil | Toradol | Invega | Intuniv |
| Fortical | Foradil | iodine | Lodine |
| gentamicin | gentian violet | Isordil | Plendil |
| gentian violet | gentamicin | ISOtretinoin | tretinoin |
| glacial acetic acid | acetic acid for irrigation | Jantoven | Janumet |
| glipiZIDE | glyBURIDE | Jantoven | Januvia |
| Glucotrol | Glycotrol | Janumet | Jantoven |
| glyBURIDE | glipiZIDE | Janumet | Januvia |
| Glycotrol | Glucotrol | Janumet | Sinemet |
| Granulex | Regranex | Januvia | Enjuvia |
| guaiFENesin | guanFACINE | Januvia | Jantoven |
| guanFACINE | guaiFENesin | Januvia | Janumet |
| HBIG (hepatitis B immune globulin) | BabyBIG | K-Phos Neutral | Neutra-Phos-K |
| Healon | Hyalgan | Kaopectate (bismuth subsalicylate) | Kaopectate (docusate calcium) |
| heparin | Hespan | Kaopectate (docusate calcium) | Kaopectate (bismuth subsalicylate) |
| Hespan | heparin | Kadian | Kapidex |
| HMG-CoA reductase inhibitors ("statins") | nystatin | Kaletra | Keppra |
| HumaLOG | HumuLIN | Kapidex | Capadex [non-US product] |
| HumaLOG | NovoLOG | Kapidex | Capex |
| HumaLOG Mix 75/25 | HumuLIN 70/30 | Kapidex | Casodex |
| Humapen Memoir (for use with HumaLOG) | Humira Pen | Kapidex | Kadian |
| Humira Pen | Humapen Memoir (for use with HumaLOG) | Keflex | Keppra |
| HumuLIN | NovoLIN | Keppra | Kaletra |
| HumuLIN | HumaLOG | Keppra | Keflex |
| HumuLIN 70/30 | HumaLOG Mix 75/25 | Ketalar | ketorolac |
| HumuLIN R U-100 | HumuLIN R U-500 | ketorolac | Ketalar |
| HumuLIN R U-500 | HumuLIN R U-100 | ketorolac | methadone |
| Hyalgan | Healon | Kineret | Amikin |
| hydrALAZINE | hydrOXYzine | KlonoPIN | cloNIDine |
| Hydrea | Lyrica | Kuric | Carac |
| HYDROcodone | oxyCODONE | Kwell | Qwell |
| Hydrogesic | hydrOXYzine | LaMICtal | LamISIL |
| HYDROMorphone | morphine | LamISIL | LaMICtal |
| hydrOXYzine | Hydrogesic | lamiVUDine | lamoTRIgine |
| hydrOXYzine | hydrALAZINE | lamoTRIgine | lamiVUDine |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name |
|--------------------------|--------------------------|
| lamoTRIgine | levETIRAcetam |
| lamoTRIgine | levothyroxine |
| Lanoxin | levothyroxine |
| Lanoxin | naloxone |
| lanthanum carbonate | lithium carbonate |
| Lantus | Latuda |
| Lantus | Lente |
| Lariam | Levaquin |
| Lasix | Luvox |
| Latuda | Lantus |
| Lente | Lantus |
| Letairis | Letaris [non-US product] |
| Letaris [non-US product] | Letairis |
| leucovorin calcium | Leukeran |
| leucovorin calcium | levoleucovorin |
| Leukeran | Alkeran |
| Leukeran | Myleran |
| Leukeran | leucovorin calcium |
| Levaquin | Lariam |
| Levbid | Enbrel |
| levETIRAcetam | lamoTRIgine |
| Levemir | Lovenox |
| levETIRAcetam | levOCARNitine |
| levETIRAcetam | levofloxacin |
| levOCARNitine | levETIRAcetam |
| levofloxacin | levETIRAcetam |
| levoleucovorin | leucovorin calcium |
| levothyroxine | lamoTRIgine |
| levothyroxine | Lanoxin |
| levothyroxine | liothyronine |
| Lexapro | Loxitane |
| Lexiva | Pexeva |
| liothyronine | levothyroxine |
| Lipitor | Loniten |
| Lipitor | ZyrTEC |
| lithium | Ultram |
| lithium carbonate | lanthanum carbonate |
| Lodine | codeine |
| Lodine | iodine |
| Loniten | Lipitor |
| Lopressor | Lyrica |
| LORazepam | ALPRAZolam |
| LORazepam | clonazePAM |
| LORazepam | Lovaza |
| Lotronex | Protonix |
| Lovaza | LORazepam |

| Drug Name | Confused Drug Name |
|-----------------------------|-----------------------------|
| Lovenox | Levemir |
| Loxitane | Lexapro |
| Loxitane | FLUoxetine |
| Loxitane | Soriatane |
| Lunesta | Neulasta |
| Lupron Depot-3 Month | Lupron Depot-Ped |
| Lupron Depot-Ped | Lupron Depot-3 Month |
| Luvox | Lasix |
| Lyrica | Hydrea |
| Lyrica | Lopressor |
| Maalox | Maalox Total Stomach Relief |
| Maalox Total Stomach Relief | Maalox |
| Matulane | Materna |
| Materna | Matulane |
| Maxzide | Microzide |
| Menactra | Menomune |
| Menomune | Menactra |
| Mephhton | methadone |
| Metadate | methadone |
| Metadate CD | Metadate ER |
| Metadate ER | Metadate CD |
| Metadate ER | methadone |
| metFORMIN | metroNIDAZOLE |
| methadone | dexamethylphenidate |
| methadone | ketorolac |
| methadone | Mephhton |
| methadone | Metadate |
| methadone | Metadate ER |
| methadone | methylphenidate |
| methadone | metolazone |
| Methergine | Brethine |
| methimazole | metolazone |
| methylene blue | VisionBlue |
| methylphenidate | methadone |
| metolazone | methadone |
| metolazone | methimazole |
| metoprolol succinate | metoprolol tartrate |
| metoprolol tartrate | metoprolol succinate |
| metroNIDAZOLE | metFORMIN |
| Mevacor | Benicar |
| Micronase | Microzide |
| Microzide | Maxzide |
| Microzide | Micronase |
| midodrine | Midrin |
| Midrin | midodrine |
| mifepristone | misoprostol |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name |
|---|---|
| Miralax | Mirapex |
| Mirapex | Miralax |
| misoprostol | mifepristone |
| mitoMYcin | mitoXANtrone |
| mitoXANtrone | mitoMYcin |
| morphine | HYDRO morphe |
| morphine - non-concentrated oral liquid | morphine - oral liquid concentrate |
| morphine - oral liquid concentrate | morphine - non-concentrated oral liquid |
| Motrin | Neurontin |
| MS Contin | OxyCONTIN |
| Mucinex | Mucinex Allergy |
| Mucinex | Mucomyst |
| Mucinex Allergy | Mucinex |
| Mucinex D | Mucinex DM |
| Mucinex DM | Mucinex D |
| Mucomyst | Mucinex |
| Myleran | Alkeran |
| Myleran | Leukeran |
| nalbuphine | naloxone |
| naloxone | Lanoxin |
| naloxone | nalbuphine |
| Narcan | Norcuron |
| Natru-Vent | Atrovent |
| Navane | Norvasc |
| Neo-Synephrine (oxymetazoline) | Neo-Synephrine (phenylephrine) |
| Neo-Synephrine (phenylephrine) | Neo-Synephrine (oxymetazoline) |
| Neulasta | Lunesta |
| Neulasta | Neumega |
| Neulasta | Nuedexta |
| Neumega | Neupogen |
| Neumega | Neulasta |
| Neupogen | Neumega |
| Neurontin | Motrin |
| Neurontin | Noroxin |
| Neutra-Phos-K | K-Phos Neutral |
| NexAVAR | NexIUM |
| NexIUM | NexAVAR |
| niCARdipine | NIFEdipine |
| NIFEdipine | niCARdipine |
| NIFEdipine | niMODipine |
| niMODipine | NIFEdipine |
| Norcuron | Narcan |
| Normodyne | Norpramin |
| Noroxin | Neurontin |
| Norpramin | Normodyne |
| Norvasc | Navane |

| Drug Name | Confused Drug Name |
|---|---|
| NovoLIN | HumuLIN |
| NovoLIN | NovoLOG |
| NovoLIN 70/30 | NovoLOG Mix 70/30 |
| NovoLOG | HumaLOG |
| NovoLOG | NovoLIN |
| NovoLOG Flexpen | NovoLOG Mix 70/30 Flexpen |
| NovoLOG Mix 70/30 Flexpen | NovoLOG Flexpen |
| NovoLOG Mix 70/30 | NovoLIN 70/30 |
| Nuedexta | Neulasta |
| nystatin | HMG-CoA reductase inhibitors ("statins") |
| Occlusal-HP | Ocuflor |
| Ocuflor | Occlusal-HP |
| OLANZapine | QUEtiapine |
| Omacor | Amicar |
| omeprazole | fomepizole |
| opium tincture | paregoric (camphorated tincture of opium) |
| Oracea | Orencia |
| Orencia | Oracea |
| Orgaran | argatroban |
| Ortho Tri-Cyclen | Ortho Tri-Cyclen LO |
| Ortho Tri-Cyclen LO | Ortho Tri-Cyclen |
| Os-Cal | Asacol |
| oxaprozin | OXcarbazepine |
| OXcarbazepine | oxaprozin |
| OXcarbazepine | carBAMazepine |
| oxyCODONE | HYDRO codone |
| oxyCODONE | OxyCONTIN |
| OxyCONTIN | MS Contin |
| OxyCONTIN | oxyCODONE |
| PACLitaxel | PACLitaxel protein-bound particles |
| PACLitaxel protein-bound particles | PACLitaxel |
| Pamelor | Panlor DC |
| Pamelor | Tambocor |
| Panlor DC | Pamelor |
| paregoric (camphorated tincture of opium) | opium tincture |
| PARoxetine | FLUoxetine |
| PARoxetine | piroxicam |
| Patanol | Platinol |
| Pavulon | Peptavlon |
| Paxil | Doxil |
| Paxil | Taxol |
| Paxil | Plavix |
| PAZOPanib | PONATinib |
| PEMETrexed | PRALAtrexate |
| penicillin | penicillAMINE |
| penicillAMINE | penicillin |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of *Confused Drug Names*

| Drug Name | Confused Drug Name | Drug Name | Confused Drug Name |
|---------------------------------|---------------------------------|---------------------|-------------------------|
| Peptavlon | Pavulon | Provera | Proscar |
| Percocet | Darvocet | Provera | PROzac |
| Percocet | Proctet | PROzac | Prograf |
| perflutren lipid microspheres | influenza virus vaccine | PROzac | PriLOSEC |
| Pexeva | Lexiva | PROzac | Provera |
| PENTobarbital | PHENobarbital | Purinethol | propylthiouracil |
| PHENobarbital | PENTobarbital | Pyridium | pyridoxine |
| Pilocar | Dilacor XR | pyridoxine | Pyridium |
| piroxicam | PARoxetine | QUEtiapine | OLANZapine |
| Platinol | Patanol | quiNIDine | quiNINE |
| Plavix | Paxil | quiNINE | quiNIDine |
| Plavix | Pradax [Non-US Product] | Qwell | Kwell |
| Plavix | Pradaxa | RABEpazole | ARIPIPrazole |
| Plendil | Isordil | Ranexa | Prenexa |
| pneumococcal 7-valent vaccine | pneumococcal polyvalent vaccine | Rapaflo | Rapamune |
| pneumococcal polyvalent vaccine | pneumococcal 7-valent vaccine | Rapamune | Rapaflo |
| Polycitra | Bicitra | Razadyne | Rozerem |
| PONATinib | PAZOPanib | Recombivax HB | Comvax |
| potassium acetate | sodium acetate | Regranex | Granulex |
| PRALAtrexate | PEMETrexed | Reminyl | Robinul |
| Pradax [Non-US Product] | Plavix | Reminyl | Amaryl |
| Pradaxa | Plavix | Renagel | Renvela |
| Prandin | Avandia | Renvela | Renagel |
| Precare | Precose | Reprexain | ZyPREXA |
| Precose | Precare | Restoril | RisperDAL |
| prednisolONE | predniSONE | Retrovir | ritonavir |
| predniSONE | prednisolONE | Rifadin | Rifater |
| Prenexa | Ranexa | Rifamate | rifampin |
| PriLOSEC | Pristiq | rifampin | Rifamate |
| PriLOSEC | PROzac | rifampin | rifaximin |
| Priscoline | Apresoline | Rifater | Rifadin |
| Pristiq | PriLOSEC | rifaximin | rifampin |
| probencid | Procabid | RisperDAL | Restoril |
| Procan SR | Procabid | risperiDONE | rOPINIRole |
| Procabid | probencid | Ritalin | ritodrine |
| Procabid | Procan SR | Ritalin LA | Ritalin SR |
| Procardia XL | Protain XL | Ritalin SR | Ritalin LA |
| Proctet | Percocet | ritodrine | Ritalin |
| Prograf | PROzac | ritonavir | Retrovir |
| propylthiouracil | Purinethol | riTUXimab | inFLIXimab |
| Proscar | Provera | Robinul | Reminyl |
| Protain XL | Procardia XL | rOPINIRole | risperiDONE |
| protamine | Protonix | Roxanol | Roxicodone Intensol |
| proton pump inhibitors | ARIPIPrazole | Roxanol | Roxicet |
| Protonix | Lotronex | Roxicet | Roxanol |
| Protonix | protamine | Roxicodone Intensol | Roxanol |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name | Drug Name | Confused Drug Name |
|---------------------------------|---------------------------------|-------------------------------|--|
| Rozerem | Razadyne | sulfADIAZINE | sulfSOXAZOLE |
| Salagen | selegiline | sulfaSALAzine | sulfADIAZINE |
| SandIMMUNE | SandoSTATIN | sulfSOXAZOLE | sulfADIAZINE |
| SandoSTATIN | SandIMMUNE | SUMAriptan | sitaGLIPtin |
| saquinavir | SINEquan | SUMAriptan | ZOLmitriptan |
| saquinavir (free base) | saquinavir mesylate | Symbax | Cymbalta |
| saquinavir mesylate | saquinavir (free base) | T-Gel | Bio-T-Gel |
| Sarafem | Serophene | Tambocor | Pamelor |
| selegiline | Salagen | Taxol | Taxotere |
| Serophene | Sarafem | Taxol | Paxil |
| SEROquel | Desyrel | Taxotere | Taxol |
| SEROquel | SEROquel XR | TEGretol | TEGretol XR |
| SEROquel | Serzone | TEGretol | Tequin |
| SEROquel | SINEquan | TEGretol | TRENTal |
| SEROquel XR | SEROquel | TEGretol XR | TEGretol |
| sertraline | cetirizine | Tenex | Xanax |
| sertraline | Soriatane | Tequin | TEGretol |
| Serzone | SEROquel | Tequin | Ticlid |
| silodosin | sirolimus | Testoderm | Testoderm with Adhesive |
| Sinemet | Janumet | Testoderm | Testoderm TTS |
| SINEquan | saquinavir | Testoderm | Testoderm |
| SINEquan | SEROquel | Testoderm | Testoderm with Adhesive |
| SINEquan | Singulair | Testoderm TTS | Testoderm |
| SINEquan | Zonegran | Testoderm TTS | Testoderm with Adhesive |
| Singulair | SINEquan | tetanus diphteria toxoid (Td) | tuberculin purified protein derivative (PPD) |
| sirolimus | silodosin | Thalomid | Thiamine |
| sitaGLIPtin | SUMAriptan | Thiamine | Thalomid |
| sodium acetate | potassium acetate | tiaGABine | tiZANidine |
| Solu-CORTEF | Solu-MEDROL | Tiazac | Ziac |
| Solu-MEDROL | Depo-Medrol | Ticlid | Tequin |
| Solu-MEDROL | Solu-CORTEF | tiZANidine | tiaGABine |
| Sonata | Soriatane | TNKase | Activase |
| Soriatane | Loxitane | TNKase | t-PA |
| Soriatane | sertraline | Tobradex | Tobrex |
| Soriatane | Sonata | Tobrex | Tobradex |
| sotalol | Sudafed | TOLAZamide | TOLBUTamide |
| Spiriva | Apidra | TOLBUTamide | TOLAZamide |
| Spiriva | Inspira | Topamax | Toprol-XL |
| stavudine | cetirizine | Toprol-XL | Topamax |
| Sudafed | sotalol | Toradol | Foradil |
| Sudafed | Sudafed PE | t-PA | TNKase |
| Sudafed 12 Hour | Sudafed 12 Hour Pressure + Pain | Tracleer | Tricor |
| Sudafed 12 Hour Pressure + Pain | Sudafed 12 Hour | traMADol | traZODone |
| Sudafed PE | Sudafed | trastuzumab | ado-trastuzumab emtansine |
| SUFentanil | fentaNYL | traZODone | traMADol |
| sulfADIAZINE | sulfaSALAzine | TRENTal | TEGretol |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

ISMP's List of Confused Drug Names

| Drug Name | Confused Drug Name |
|--|--|
| tretinoin | ISOtretinoin |
| Tricor | Tracleer |
| tromethamine | Trophamine |
| Trophamine | tromethamine |
| tuberculin purified protein derivative (PPD) | influenza virus vaccine |
| tuberculin purified protein derivative (PPD) | tetanus diphtheria toxoid (Td) |
| Tylenol | Tylenol PM |
| Tylenol PM | Tylenol |
| Ultracet | Duricef |
| Ultram | lithium |
| valACYclovir | valGANciclovir |
| Valcyte | Valtrex |
| valGANciclovir | valACYclovir |
| Valtrex | Valcyte |
| Varivax | VZIG (varicella-zoster immune globulin) |
| Vesanoid | Vesicare |
| Vesicare | Vesanoid |
| Vexol | Vosol |
| Viagra | Allegra |
| Videx | Bidex |
| vinBLASTine | vinCRISTine |
| vinCRISTine | vinBLASTine |
| Viokase | Viokase 8 |
| Viokase 8 | Viokase |
| Vioxx | Zyvox |
| Viracept | Viramune |
| Viramune | Viracept |
| Viramune (nevairapine) | Viramune (herbal product) |
| Viramune (herbal product) | Viramune (nevairapine) |
| VisionBlue | methylene blue |
| Vosol | Vexol |
| VZIG (varicella-zoster immune globulin) | Varivax |
| Wellbutrin SR | Wellbutrin XL |
| Wellbutrin XL | Wellbutrin SR |
| Xanax | Fanapt |
| Xanax | Tenex |
| Xanax | Zantac |
| Xeloda | Xenical |
| Xenical | Xeloda |
| Yasmin | Yaz |
| Yaz | Yasmin |
| Zantac | Xanax |

| Drug Name | Confused Drug Name |
|--|--|
| Zantac | ZyrTEC |
| Zavesca (escitalopram) [non-US product] | Zavesca (miglustat) |
| Zavesca (miglustat) | Zavesca (escitalopram) [non-US product] |
| Zebeta | Diabeta |
| Zebeta | Zetia |
| Zegerid | Zestril |
| Zelapar (Zydis formulation) | ZyPREXA Zydis |
| Zerit | ZyrTEC |
| Zestril | Zegerid |
| Zestril | Zetia |
| Zestril | ZyPREXA |
| Zetia | Bextra |
| Zetia | Zebeta |
| Zetia | Zestril |
| Ziac | Tiazac |
| Zocor | Cozaar |
| Zocor | ZyrTEC |
| ZOLMirtiptan | SUMAtriptan |
| zolpidem | Zyloprim |
| Zonegran | SINEquan |
| Zostrix | Zovirax |
| Zovirax | Doribax |
| Zovirax | Zyvox |
| Zovirax | Zostrix |
| Zyban | Diovan |
| Zyloprim | zolpidem |
| ZyPREXA | CeleXA |
| ZyPREXA | Repxain |
| ZyPREXA | Zestril |
| ZyPREXA | ZyrTEC |
| ZyPREXA Zydis | Zelapar (Zydis formulation) |
| ZyrTEC | Lipitor |
| ZyrTEC | Zantac |
| ZyrTEC | Zerit |
| ZyrTEC | Zocor |
| ZyrTEC | ZyPREXA |
| ZyrTEC | ZyrTEC-D |
| ZyrTEC (cetirizine) | ZyrTEC Itchy Eye Drops (ketotifen fumarate) |
| ZyrTEC-D | ZyrTEC |
| ZyrTEC Itchy Eye Drops (ketotifen fumarate) | ZyrTEC (cetirizine) |
| Zyvox | Vioxx |
| Zyvox | Zovirax |

* Brand names always start with an uppercase letter. Some brand names incorporate tall man letters in initial characters and may not be readily recognized as brand names. Brand name products appear in black; generic/other products appear in red.

© ISMP 2015. Permission is granted to reproduce material with proper attribution for internal use within healthcare organizations. Other reproduction is prohibited without written permission from the Institute for Safe Medication Practices (ISMP). Report actual and potential medication or vaccine errors to the ISMP National Medication Errors Reporting Program (ISMP MERP) or ISMP National Vaccine Errors Reporting Program (ISMP VERP) via the Web at www.ismp.org/merp or by calling 1-800-FAIL-SAF(E).